



FUTURE EYES

THERE IS ALWAYS A WAY

FOSHAN FUTURE EYES TECHNOLOGY CO., LTD.

Facebook: Future Eyes Global

Email: futureeyes-market-01@future-eyes.cn

WhatsApp: +86 15602260574

FOSHAN, GUANGDONG, CHINA

F150

60W CLASSIC AUXILIARY LIGHT




F150



DIMENSIONS



INSTALLATION



LIGHTING EFFECT



BACKLIGHT SWITCH

PRODUCT INFORMATION

SHELL COLOR: BLACK/SILVER

HIGH BEAM COLOR: WHITE

LOW BEAM COLOR: YELLOW

LOW BEAM WATTAGE: 60W

HIGH BEAM WATTAGE: 60W

LOW BEAM+HIGH BEAM WATTAGE: 60W

SAFETY VOLTAGE: 12V

SAFETY CURRENT: 5-10A

ILLUMINANCE: 6000 LUX

LUMINOUS FLUX: 6000 LM

COLOR TEMPERATURE: 3000K-6000K

LIGHT MODE: LOW/HIGH/FLASH/LOW+HIGH INTEGRATED

MATERIAL: DIE-CASTING ALUMINUM, GLASS LENS

SWITCH: WIRED BACKLIGHT/WIRELESS

WATERPROOF: IP67

PATENT NUMBER: 2021 2 1179056.X

F150-S

60W MINI CNC AUXILIARY LIGHT




F150-S




DIMENSIONS



INSTALLATION



LIGHTING EFFECT



BACKLIGHT SWITCH

PRODUCT INFORMATION

SHELL COLOR: BLACK
LOW BEAM WATTAGE: 60W
HIGH BEAM WATTAGE: 60W
LOW BEAM+HIGH BEAM WATTAGE: 60W
HIGH BEAM COLOR: WHITE
LOW BEAM COLOR: YELLOW
SAFETY VOLTAGE: 12V
SAFETY CURRENT: 5A-10A
ILLUMINANCE: 6000 LUX
LUMINOUS FLUX: 6000 LM
COLOUR TEMPERATURE: 3000K-6000K
LIGHT MODE: LOW/HIGH/FLASH/LOW+HIGH INTEGRATED
MATERIAL: CNC ALUMINUM, GLASS LENS
SWITCH: WIRED BACKLIGHT/WIRELESS
WATERPROOF: IP67
PATENT NUMBER: 2022 3 0281145.9

F20-X

60W WIDER LIGHTING RANGE



F20-X




DIMENSIONS



INSTALLATION



LIGHTING EFFECT



BACKLIGHT SWITCH

PRODUCT INFORMATION

SHELL COLOR: BLACK
LOW BEAM WATTAGE: 60W
HIGH BEAM WATTAGE: 60W
LOW BEAM+HIGH BEAM WATTAGE: 60W
HIGH BEAM COLOR: WHITE
LOW BEAM COLOR: YELLOW
SAFETY VOLTAGE: 12V
SAFETY CURRENT: 5A-10A
ILLUMINANCE: 6000 LUX
LUMINOUS FLUX: 6000 LM
COLOR TEMPERATURE: 3000K-6000K
LIGHT MODE: LOW/HIGH/FLASH/LOW+HIGH INTEGRATED
MATERIAL: DIE-CASTING ALUMINUM, GLASS LENS
SWITCH: WIRED BACKLIGHT/WIRELESS
WATERPROOF: IP67
PATENT NUMBER: 2020 2 1018016.2

F20-P


120W ORIGINAL DESIGN SAFETY FILL BEAM



F20-P




DIMENSIONS



INSTALLATION



LIGHTING EFFECT



WIRED CONTROLLER

PRODUCT INFORMATION


SHELL COLOR: BLACK
LOW BEAM WATTAGE: 60W
HIGH BEAM WATTAGE: 60W
LOW BEAM+HIGH BEAM WATTAGE: 60W
FILL BEAM WATTAGE: 60W
LOW+ FILL/HIGH+ FILL/LOW+HIGH+ FILL: 120W
HIGH BEAM COLOR: WHITE
LOW BEAM COLOR: YELLOW
SAFETY VOLTAGE: 12V
SAFETY CURRENT: 5A-10A
ILLUMINATION: 8500 LUX
LUMINOUS FLUX: 12000 LM
COLOUR TEMPERATURE: 3000K-6000K
LIGHT MODE: LOW/HIGH/FLASH/FILL/LOW+HIGH
MATERIAL: CNC ALUMINUM, GLASS LENS
SWITCH: WIRED BACKLIGHT
WATERPROOF: IP67
PATENT NUMBER: 2021 3 0639768.4

F30-P


120W CUSTOM COLORS WARNING LIGHT



F30-P



DIMENSIONS



INSTALLATION



LIGHTING EFFECT



WIRED CONTROLLER

PRODUCT INFORMATION


SHELL COLOR: BLACK/SILVER
LOW BEAM WATTAGE: 60W
HIGH BEAM WATTAGE: 60W
LOW BEAM+HIGH BEAM WATTAGE: 120W
HIGH BEAM COLOR: WHITE
LOW BEAM COLOR: YELLOW
WARNING BEAM COLOR: PINK/BLUE/GREEN/YELLOW
LIGHT MODE: LOW/HIGH/FLASH/LOW+HIGH INTEGRATED
MATERIAL: CNC ALUMINUM, GLASS LENS
COLOUR TEMPERATURE: 3000K-6000K
SAFETY VOLTAGE: 12V
SAFETY CURRENT: 5A-10A
ILLUMINATION: 8500 LUX
LUMINOUS FLUX: 12000 LM
SWITCH: WIRED BACKLIGHT
WATERPROOF: IP67
PATENT NUMBER: 2020 3 0498315.X

PL40

180W MAGNETIC SWITCH AUXILIARY LIGHT



PL40



DIMENSIONS




INSTALLATION



Low Beam + High Beam Lighting Effect

LIGHTING EFFECT



MAGNETIC SWITCH



DECORATION RING

PRODUCT INFORMATION

- SHELL COLOR: BLACK
- LED CHIPS: OSRAM
- MAXIMUM WATTAGE: 180W
- LOW BEAM WATTAGE: 100W
- LOW BEAM+HIGH BEAM WATTAGE: 180W
- HIGH BEAM COLOR: WHITE
- LOW BEAM COLOR: YELLOW
- LIGHT MODE: LOW/HIGH/FLASH/LOW+HIGH INTEGRATED
- MATERIAL: CNC ALUMINUM, GLASS LENS
- RINGS COLORS: BLACK/BLUE/GREEN/YELLOW/RED/ORANGE
- COLOUR TEMPERATURE: 3000K-6000K
- SAFETY VOLTAGE: 12V
- SAFETY CURRENT: 10A-15A
- ILLUMINATION: 8500 LUX
- LUMINOUS FLUX: 18000 LM
- SWITCH: WIRED MAGNETIC SWITCH
- WATERPROOF: IP67
- PATENT NUMBER: 2023301133439

UF1 VIPER

60W CNC SIDE WARNING DRL AUXILIARY LIGHT



UF1




DIMENSIONS



INSTALLATION



LIGHTING EFFECT



MAGNETIC SWITCH

PRODUCT INFORMATION

- SHELL COLOR: BLACK
- LOW BEAM WATTAGE: 60W
- HIGH BEAM WATTAGE: 60W
- LOW BEAM+HIGH BEAM WATTAGE: 60W
- HIGH BEAM COLOR: WHITE
- LOW BEAM COLOR: YELLOW
- SAFETY VOLTAGE: 12V
- SAFETY CURRENT: 5A-10A
- ILLUMINANCE: 6000 LUX
- LUMINOUS FLUX: 6000 LM
- COLOUR TEMPERATURE: 3000K-6000K
- LIGHT MODE: LOW/HIGH/FLASH/LOW+HIGH INTEGRATED
- MATERIAL: CNC ALUMINUM, GLASS LENS
- SWITCH: WIRED BACKLIGHT
- WATERPROOF: IP67
- PATENT NUMBER: ZL 2022 3 0281145.9

E-10

15W WIRELESS CHARGING PHONE HOLDER



E10



DIMENSIONS(120MM*70MM)



INSTALLATION



EFFECT

PRODUCT INFORMATION

MATERIAL: CNC ALUMINUM+RUBBER

CHARGING POWER: 15W

MOUNTING BRACKET: HANDLE SUPPORT/REARVIEW MIRROR SUPPORT

PATENT NUMBER: ZL 2022 3 0281200.4

SCOOTER BRACKET



UNIVERSAL CLAMP



YAMAHA XMAX 300 BRACKET



YAMAHA NMAX 155 BRACKET

